

## DUTHOO Touch-Up Bottle 12ml

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 - Product identifier

Trade name/designation DUTHOO Touch-Up Bottle 12ml  
Chemical name Touch-Up Paint 1C  
Product-type Mixture  
Product code DUTHOO Touch-Up Bottle 12ml  
UFI: 1H30-V0UC-R007-XQ7E

#### 1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- For professional use only
- Paints/coatings – Protective and functional

#### 1.3 - Details of the supplier of the safety data sheet

-Duthoo Coating Concepts  
Pluim 1  
8550 Zwevegem Belgium  
Telephone : 0032 56 360774 Fax 0032 56 694760  
Website [www.duthoo.eu](http://www.duthoo.eu)  
Eddy Crepeele: 0032 56 360774/0032 471 410802 [eddy@duthoo.eu](mailto:eddy@duthoo.eu)

#### 1.4 - Emergency telephone number

- Poison Centre. Tel: (+32) 070 245 245 or (+32) 02 264 96 30 Belgium

### SECTION 2: Hazards identification

#### 2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2	Flammable liquid and vapour. - Category 2
Eye Dam. 1	Serious eye damage, Category 1
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)

#### 2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: n-butyl acetate (CAS No.: 123-86-4) | ethyl acetate (CAS No.: 141-78-6) |  
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (CAS No.: 2530-83-8)

Signal word : Danger

Hazard pictograms



Hazard statements

H225	Highly flammable liquid and vapour
H318	Causes serious eye damage
H336	May cause drowsiness or dizziness

Precautionary statements

## DUTHOO Touch-Up Bottle 12ml

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing vapours/spray.
P280	Wear protective gloves.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to an appropriate recycling or disposal facility in accordance with national regulation.

### EUH-phrases

EUH066	Repeated exposure may cause skin dryness or cracking
EUH208	Contains n-butyl methacrylate (97-88-1)   methyl methacrylate, methyl 2-methylprop-2-enoate, methyl 2-methylpropenoate (80-62-6) . May produce an allergic reaction

### 2.3 - Other hazards

## SECTION 3: Composition / information on ingredients

### 3.1 - Substances

Not applicable

### 3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
n-butyl acetate	CAS No. : 123-86-4 Index No. : 607-025-00-1 EC No. : 204-658-1	>= 30 - <= 50	Flam. Liq. 3 - H226 STOT SE 3 (H336) - H336	Not applicable
reaction mass of ethylbenzene and xylene	CAS No. : Index No. : EC No. : 905-588-0 REACH No. : 01-2119539452-40	> 5 - < 15	Acute Tox. 4 Dermal - H312 Acute Tox. 4 Inhalation - H332 Aquatic Chronic 3 - H412 Asp. Tox. 1 - H304 Eye Irrit. 2 - H319 Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 STOT RE 2 - H373 STOT SE 3 (H335) - H335	ATE dermal 1100 ATE Inhalation Vapor 11
ethyl acetate	CAS No. : 141-78-6 Index No. : 607-022-00-5 EC No. : 205-500-4	> 5 - < 15	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	CAS No. : 2530-83-8 Index No. : EC No. : 219-784-2 REACH No. : 01-2119513212-58	> 1 - < 5	Aquatic Chronic 3 - H412 Eye Dam. 1 - H318	Not applicable
n-butyl methacrylate	CAS No. : 97-88-1 Index No. : 607-033-00-5 EC No. : 202-615-1	> 0,1 - < 1	Eye Irrit. 2 - H319 Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 (H335) - H335	Not applicable
methyl methacrylate, methyl 2-methylprop-2-enoate, methyl 2-methylpropenoate	CAS No. : 80-62-6 Index No. : 607-035-00-6 EC No. : 201-297-1	> 0,1 - < 1	Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 STOT SE 3 (H335) - H335	Not applicable

## SECTION 4: First aid measures

### 4.1 - Description of first aid measures

## DUTHOO Touch-Up Bottle 12ml

<u>Following inhalation</u>	- Provide fresh air.
<u>Following skin contact</u>	- When in doubt or if symptoms are observed, get medical advice. - After contact with skin, wash immediately with plenty of water and soap.
<u>After eye contact</u>	- In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.
<u>After ingestion</u>	- Rinse mouth thoroughly with water. - Do NOT induce vomiting.

### 4.2 - Most important symptoms and effects, both acute and delayed

<u>Symptoms and effects - Following inhalation</u>	- No information available.
<u>Symptoms and effects - Following skin contact</u>	- No information available.
<u>Symptoms and effects - After eye contact</u>	- Serious eye damage/eye irritation
<u>Symptoms and effects - After ingestion</u>	- No information available.

### 4.3 - Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

### 5.1 - Extinguishing media

<u>Suitable extinguishing media</u>	- ABC-powder - Carbon dioxide (CO <sub>2</sub> ) - Foam - Extinguishing powder
<u>Unsuitable extinguishing media</u>	- Full water jet

### 5.2 - Special hazards arising from the substance or mixture

<u>Special hazards arising from the substance or mixture</u>	- Hazardous combustion products
<u>Hazardous decomposition products</u>	- Carbon dioxide (CO <sub>2</sub> ) - Carbon monoxide - Nitrogen oxides (NO <sub>x</sub> )

### 5.3 - Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.
- Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6: Accidental release measures

### 6.1 - Personal precautions, protective equipment and emergency procedures

<u>For non-emergency personnel</u>	- Use personal protection equipment.
------------------------------------	--------------------------------------

## DUTHOO Touch-Up Bottle 12ml

- Provide adequate ventilation.
- Remove all sources of ignition.

For emergency responders - Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2 - Environmental precautions

- Do not allow to enter into surface water or drains.

### 6.3 - Methods and material for containment and cleaning up

Methods and material for containment - Soak up inert absorbent and dispose as waste requiring special attention.

Methods and material for cleaning up - Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Inappropriate techniques - No information available.

### 6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

## SECTION 7: Handling and storage

### 7.1 - Precautions for safe handling

Recommendation

- Avoid: Eye contact
- Vapours can form explosive mixtures with air.
- When using do not smoke.
- Use only in well-ventilated areas.

Advices on general occupational hygiene

- Avoid contact with skin, eyes and clothes.
- Wash hands before breaks and after work.

### 7.2 - Conditions for safe storage, including any incompatibilities

- Storage class Flammable liquids
- Keep container tightly closed and in a well-ventilated place.
- Do not store together with: Combustible substance
- Protect against: Heat

### 7.3 - Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 - Control parameters

### 8.2 - Exposure controls

Appropriate engineering controls - If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## DUTHOO Touch-Up Bottle 12ml

Individual protection measures, such as personal protective equipment

- Suitable eye protection: Eye glasses with side protection

- Protective gloves



### SECTION 9: Physical and chemical properties

#### 9.1 - Information on basic physical and chemical properties

Physical state Colour	Liquid characteristic	Appearance Odour	Liquid characteristic
Odour threshold		No data available	
pH		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		70 °C < V < 142 °C	
Flash point		18 °C	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		No data available	
Upper explosion limit		No data available	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		No data available	
Density		1 kg/l	
Solubility (Water)		No data available	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	
Solubility (Organic solvents)		No data available	
Log KOC		No data available	
Auto-ignition temperature		400 °C	
Decomposition temperature		No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	

#### Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

#### 9.2 - Other information

VOC content	48 %
-------------	------

## DUTHOO Touch-Up Bottle 12ml

Minimum ignition energy	No data available
Conductivity	No data available

### SECTION 10: Stability and reactivity

#### 10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

#### 10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

#### 10.4 - Conditions to avoid

- In case of warming: Ignition hazard

#### 10.5 - Incompatible materials

- avoid contact with other chemicals

#### 10.6 - Hazardous decomposition products

- Thermal decomposition can lead to the escape of irritating gases and vapours.

### SECTION 11: Toxicological information

#### 11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Not classified

#### Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

Skin corrosion/irritation - Not classified

Serious eye damage/eye irritation - Serious eye damage, Category 1 - Causes serious eye damage

- Risk of serious damage to eyes.  
- Causes serious eye irritation.

Respiratory or skin sensitisation - Not classified

Germ cell mutagenicity - Not classified

Carcinogenicity - Not classified

## DUTHOO Touch-Up Bottle 12ml

<u>Reproductive toxicity</u>	- Not classified
<u>STOT-single exposure</u>	- STOT-single exposure - Category 3 (H336) - May cause drowsiness or dizziness
<u>STOT-repeated exposure</u>	- Not classified
<u>Aspiration hazard</u>	- Not classified

### 11.2 - Information on other hazards

## SECTION 12: Ecological information

### 12.1 - Toxicity

#### Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

- The substance/mixture does not fulfill the criteria of the acute aquatic toxicity according to Regulation (EC) No 1272/2008 [CLP], Annex I.

### 12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

### 12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

### 12.4 - Mobility in soil

- No information available.

### 12.5 - Results of PBT and vPvB assessment

### 12.6 - Endocrine disrupting properties

### 12.7 - Other adverse effects

- No information available.

## SECTION 13: Disposal considerations

### 13.1 - Waste treatment methods

## DUTHOO Touch-Up Bottle 12ml

<u>Waste treatment methods</u>	- Dispose of waste according to applicable legislation.
<u>Sewage disposal</u>	- Do not allow to enter into surface water or drains.
<u>Special precautions for waste treatment</u>	- Collect the waste separately.
<u>Community or national or regional provisions</u>	- No information available.

### SECTION 14: Transport information

#### 14.1 - UN number or ID number

<u>UN number (ADR)</u>	:	UN1263
<u>UN number (RID)</u>	:	UN1263
<u>UN number (ADN)</u>	:	UN1263
<u>UN number (IMDG)</u>	:	UN1263
<u>UN number (IATA)</u>	:	UN1263

#### 14.2 - UN proper shipping name

<u>UN proper shipping name (ADR)</u>	:	PAINT or PAINT RELATED MATERIAL
<u>UN proper shipping name (RID)</u>	:	PAINT or PAINT RELATED MATERIAL
<u>UN proper shipping name (ADN)</u>	:	PAINT or PAINT RELATED MATERIAL
<u>UN proper shipping name (IMDG)</u>	:	PAINT RELATED MATERIAL
<u>UN proper shipping name (IATA)</u>	:	PAINT

#### 14.3 - Transport hazard class(es)

<u>ADR Transport hazard class(es)</u>	:	3
<u>ADR Classification code:</u>	:	F1
<u>Pictograms</u>		



<u>Transport hazard class(es) (RID)</u>	:	3
<u>Pictograms</u>		



<u>Transport hazard class(es) (ADN)</u>	:	3
---	---	---

## DUTHOO Touch-Up Bottle 12ml

### Pictograms



Transport hazard class(es) : 3  
(IMDG)

### Pictograms



Transport hazard class(es) : 3  
(IATA)

### Pictograms



### 14.4 - Packing group

Packing group : III

Packing group (RID) : III

Packing group (ADN) : III

Packing group (IMDG) : III

Packing group (IATA) : III

### 14.5 - Environmental hazards

Environmental hazards : No

Marine pollutant : No

### 14.6 - Special precautions for user

## DUTHOO Touch-Up Bottle 12ml

### **ADR**

<u>ADR Classification code:</u>	:	F1
<u>ADR Special provisions</u>	:	163+367+650
<u>ADR Limited quantity (LQ)</u>	:	5L
<u>ADR Excepted quantities</u>	:	E1
<u>ADR Packing instructions</u>	:	P001 IBC02 R001
<u>ADR Special packing provisions</u>	:	PP1 BB4
<u>ADR Mixed packing provisions</u>	:	MP19
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>ADR tank code</u>	:	
<u>ADR tanks special provisions</u>	:	
<u>Vehicle for tank carriage</u>	:	
<u>ADR Transport category</u>	:	3
<u>ADR Tunnel restriction code</u>	:	E
<u>ADR Special provisions loading, unloading and handling</u>	:	
<u>Special provisions - Packages</u>	:	
<u>Special provisions - Bulk</u>	:	
<u>Special provisions - Operation</u>	:	S2
<u>ADR Hazard identification number (Kemler No.)</u>	:	

### **RID**

<u>Special provisions</u>	:
<u>Limited quantity (LQ)</u>	:
<u>Excepted quantities</u>	:

### **ADN**

<u>Special provisions</u>	:
<u>Limited quantity (LQ)</u>	:
<u>Excepted quantities</u>	:

### **IMDG**

<u>Special provisions</u>	:	163 223 367 955
<u>Limited quantity (LQ)</u>	:	5 L
<u>Excepted quantities</u>	:	E1
<u>Packing instructions</u>	:	P001 LP01
<u>Special packing provisions</u>	:	PP1
<u>IBC instruction(s)</u>	:	IBC03
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	T2
<u>Special provisions for portable tanks and bulk containers</u>	:	TP1 TP29
<u>EmS codes</u>	:	F-E, S-E
<u>Stowage and handling</u>	:	Category A
<u>Segregation</u>	:	
<u>Properties and observations</u>	:	Miscibility with water depends upon the composition.

## DUTHOO Touch-Up Bottle 12ml

### IATA

PCA - Excepted quantities	:	E1
PCA - Limited Quantity - Packing Instructions	:	Y344
PCA - Limited Quantity - Maximum Net Quantity per Package	:	10L
PCA - Packing Instructions	:	355
PCA - Maximum Net Quantity per Package	:	60L
CAO - Packing Instructions	:	366
CAO - Maximum Net Quantity per Package	:	220L
Special Provisions	:	A3 A72 A192
ERG Code	:	3L

14.7 - Maritime transport in bulk according to IMO instruments

## SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates	None
Substances Annex XIV	None
Substances Annex XVII	None
VOC content	48 %

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

## SECTION 16: Other information

### SDS versions

Version	Issue date	Author	Description of the amendments
1	16/11/2023		

### Texts of the regulatory sentences

Acute Tox. 4 Dermal	Acute toxicity (dermal) - Category 4
Acute Tox. 4 Inhalation	Acute toxicity (inhalative) - Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
Asp. Tox. 1	Aspiration hazard - Category 1
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation - Category 2
Eye Irrit. 2A	Eye irritation - Category 2A
Flam. Liq. 2	Flammable liquid and vapour. - Category 2
Flam. Liq. 3	Flammable liquid and vapour. - Category 3
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin

## DUTHOO Touch-Up Bottle 12ml

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects
Skin Irrit. 2	Irritation, Category 2
Skin Sens. 1	Skin sensitization - Category 1
STOT RE 2	STOT-repeated exposure - Category 2
STOT SE 3 (H335)	STOT-single exposure - Category 3 (H335)
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)

\*\*\* \*\*