

## Duthoo Touch-Up Spray 2C

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 - Product identifier

Trade name/designation Duthoo Touch-Up Spray 2C  
Chemical name 2C Pu Polyester paint  
Product-type Mixture  
UFI: GW10-80QT-W00U-D756

#### 1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses - For professional use only  
- Paints/coatings – Protective and functional

#### 1.3 - Details of the supplier of the safety data sheet

-Duthoo Coating Concepts  
Pluim 1  
8550 Zwevegem Belgium  
Telephone : 0032 56 360774 Fax 0032 56 694760  
Website www.duthoo.eu  
Eddy Crepeele: 0032 56 360774/0032 471 410802 eddy@duthoo.eu

#### 1.4 - Emergency telephone number

- Poison Centre. Tel: (+32) 070 245 245 or (+32) 02 264 96 30 Belgium

### SECTION 2: Hazards identification

#### 2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2	Eye irritation - Category 2
Skin Sens. 1	Skin sensitization - Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
Aerosol 1	Aerosol - Category 1
Acute Tox. 4 Inhalation	Acute toxicity (inhalative) - Category 4
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)

#### 2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains: HDI oligomers, isocyanurate (CAS No.: )

Signal word : Danger

Hazard pictograms



Hazard statements

H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated
H317	May cause an allergic skin reaction

## Duthoo Touch-Up Spray 2C

H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H412	Harmful to aquatic life with long lasting effects

### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing spray.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to an appropriate recycling or disposal facility in accordance with regional regulation.

### EUH-phrases

EUH066	Repeated exposure may cause skin dryness or cracking
EUH204	Contains isocyanates. May produce an allergic reaction

### 2.3 - Other hazards

## SECTION 3: Composition / information on ingredients

### 3.1 - Substances

Not applicable

### 3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
Dimethyl ether	CAS No. : 115-10-6 Index No. : 603-019-00-8 EC No. : 204-065-8	56,675	Flam. Gas 1 - H220 Press. Gas Press. Gas (Liq.) - H280	Not applicable
acetone, propan-2-one, propanone	CAS No. : 67-64-1 Index No. : 606-001-00-8 EC No. : 200-662-2	>= 15 - < 30	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable
HDI oligomers, isocyanurate	CAS No. : Index No. : EC No. : 931-274-8	> 5 - < 15	Acute Tox. 4 Dermal - H312 Acute Tox. 4 Oral - H302 Skin Sens. 1 - H317 STOT SE 3 (H335) - H335	Not applicable
2-butoxyethyl acetate, butylglycol acetate	CAS No. : 112-07-2 Index No. : 607-038-00-2 EC No. : 203-933-3	> 1 - < 5	Acute Tox. 4 Dermal - H312 Acute Tox. 4 Inhalation - H332	Not applicable
xylene	CAS No. : 1330-20-7 Index No. : 601-022-00-9 EC No. : 215-535-7	> 1 - < 5	Acute Tox. 4 Dermal - H312 Acute Tox. 4 Inhalation - H332 Flam. Liq. 3 - H226 Skin Irrit. 2 - H315	Not applicable
n-butyl acetate	CAS No. : 123-86-4 Index No. : 607-025-00-1 EC No. : 204-658-1	> 1 - < 5	Flam. Liq. 3 - H226 STOT SE 3 (H336) - H336	Not applicable

## Duthoo Touch-Up Spray 2C

Chemical name	No	%	Class(es)	Specific concentration limit
ethylbenzene	CAS No. : 100-41-4 Index No. : 601-023-00-4 EC No. : 202-849-4	> 1 - < 5	Acute Tox. 4 Inhalation - H332 Asp. Tox. 1 - H304 Flam. Liq. 2 - H225 STOT RE 2 - H373	Not applicable
amines, coco alkyl	CAS No. : 61788-46-3 Index No. : 612-285-00-4 EC No. : 262-977-1	> 0,1 - < 1	Acute Tox. 4 Oral - H302 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 Asp. Tox. 1 - H304 Skin Corr. 1B - H314 STOT RE 2 - H373 STOT SE 3 (H335) - H335	M-factor: 10 / 10

### SECTION 4: First aid measures

#### 4.1 - Description of first aid measures

<u>Following inhalation</u>	- Provide fresh air.
<u>Following skin contact</u>	- After contact with skin, wash immediately with plenty of water and soap. - In case of skin reactions, consult a physician.
<u>After eye contact</u>	- Rinse immediately carefully and thoroughly with eye-bath or water. - In case of eye irritation consult an ophthalmologist.

#### 4.2 - Most important symptoms and effects, both acute and delayed

<u>Symptoms and effects - Following inhalation</u>	- No information available.
<u>Symptoms and effects - Following skin contact</u>	- Causes skin irritation.
<u>Symptoms and effects - After eye contact</u>	- Causes eye irritation.

#### 4.3 - Indication of any immediate medical attention and special treatment needed

- Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1 - Extinguishing media

<u>Suitable extinguishing media</u>	- ABC-powder - Carbon dioxide (CO <sub>2</sub> ) - Foam - Extinguishing powder
<u>Unsuitable extinguishing media</u>	- Full water jet

#### 5.2 - Special hazards arising from the substance or mixture

<u>Special hazards arising from the substance or mixture</u>	- No information available.
<u>Hazardous decomposition products</u>	- No information available.

#### 5.3 - Advice for firefighters

---

## Duthoo Touch-Up Spray 2C

---

- Do not allow run-off from fire-fighting to enter drains or water courses.
- Wear a self-contained breathing apparatus and chemical protective clothing.
- Move undamaged containers from immediate hazard area if it can be done safely.

---

### SECTION 6: Accidental release measures

---

#### 6.1 - Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel
- Provide adequate ventilation.
  - Remove all sources of ignition.
  - Use personal protection equipment.

- For emergency responders
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2 - Environmental precautions

- Do not allow to enter into surface water or drains.
- Ensure waste is collected and contained.

#### 6.3 - Methods and material for containment and cleaning up

- Methods and material for containment
- Soak up inert absorbent and dispose as waste requiring special attention.

- Methods and material for cleaning up
- Ventilate affected area.
  - Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

- Inappropriate techniques
- No information available.

#### 6.4 - Reference to other sections

- Disposal: see section 13
- Personal protection equipment: see section 8

---

### SECTION 7: Handling and storage

---

#### 7.1 - Precautions for safe handling

- Recommendation
- It is recommended to design all work processes always so that the following is excluded: generation/formation of aerosols
  - Vapours can form explosive mixtures with air.
  - When using do not smoke.
  - Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.
  - Use only in well-ventilated areas.
  - Avoid: Eye contact
  - Avoid: Skin contact

- Advices on general occupational hygiene
- Avoid contact with skin, eyes and clothes.
  - Wash hands before breaks and after work.
  - Work in well-ventilated zones or use proper respiratory protection.

#### 7.2 - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed and in a well-ventilated place.

## Duthoo Touch-Up Spray 2C

- Do not store together with: Combustible substance
- Protect against: Heat

### 7.3 - Specific end use(s)

## SECTION 8: Exposure controls/personal protection

### 8.1 - Control parameters






<b>ethylbenzene (100-41-4)</b>	
IOELV TWA mg/m <sup>3</sup> (UE)	442 mg/m <sup>3</sup> Skin
IOELV TWA ppm (UE)	100 ppm Skin
IOELV STEL mg/m <sup>3</sup> (UE)	884 mg/m <sup>3</sup> Skin
IOELV STEL ppm (UE)	200 ppm Skin
<b>xylene (1330-20-7)</b>	
IOELV TWA mg/m <sup>3</sup> (UE)	221 mg/m <sup>3</sup> Skin
IOELV TWA ppm (UE)	50 ppm Skin
IOELV STEL mg/m <sup>3</sup> (UE)	442 mg/m <sup>3</sup> Skin
IOELV STEL ppm (UE)	100 ppm Skin
<b>n-butyl acetate (123-86-4)</b>	
IOELV TWA mg/m <sup>3</sup> (UE)	241 mg/m <sup>3</sup>
IOELV TWA ppm (UE)	50 ppm
IOELV STEL mg/m <sup>3</sup> (UE)	723 mg/m <sup>3</sup>
IOELV STEL ppm (UE)	150 ppm
<b>acetone, propan-2-one, propanone (67-64-1)</b>	
IOELV TWA mg/m <sup>3</sup> (UE)	1210 mg/m <sup>3</sup>
IOELV TWA ppm (UE)	500 ppm
<b>Dimethyl ether (115-10-6)</b>	
IOELV TWA mg/m <sup>3</sup> (UE)	1920 mg/m <sup>3</sup>
IOELV TWA ppm (UE)	1000 ppm

### DNEL / PNEC

<b>2C Pu Polyester paint</b>			
Type	Value	User	Effect
DNEL long-term dermal	11 mg/kg bw/day	Workers	Systemic
PNEC sewage treatment plant (STP)	9,6 mg/l		
<b>n-butyl acetate (123-86-4)</b>			
Type	Value	User	Effect
DNEL acute inhalative	600 mg/m <sup>3</sup>	Workers	Local
DNEL acute inhalative	600 mg/m <sup>3</sup>	Workers	Systemic
DNEL long-term inhalative	300 mg/m <sup>3</sup>	Workers	Local
DNEL long-term inhalative	48 mg/m <sup>3</sup>	Workers	Systemic
DNEL acute dermal, short-term	11 mg/kg	Workers	Systemic
DNEL long-term dermal	7 mg/kg bw/day	Workers	Systemic
PNEC aquatic, freshwater	0,18 mg/l		
PNEC aquatic, marine water	0,018 mg/l		
PNEC sediment, freshwater	0,981 mg/kg		
PNEC sediment, marine water	0,098 mg/kg		
PNEC soil	0,09 mg/kg		
PNEC sewage treatment plant (STP)	35,6 mg/l		

### 8.2 - Exposure controls

## Duthoo Touch-Up Spray 2C

<u>Appropriate engineering controls</u>	- No information available.	
<u>Individual protection measures, such as personal protective equipment</u>	- Suitable eye protection: Protection hood	
	- Suitable protective clothing: lab coat	
	- Suitable protective clothing: Full protection suit	
	- Protective gloves	
	- Suitable respiratory protection apparatus: Respiratory protection helmet/hood	

### SECTION 9: Physical and chemical properties

#### 9.1 - Information on basic physical and chemical properties

<u>Physical state</u> <u>Colour</u>	<u>gaseous</u> <u>characteristic</u>	<u>Appearance</u> <u>Odour</u>	<u>Aerosol</u> <u>characteristic</u>
Odour threshold		No data available	
pH		No data available	
Melting point		No data available	
Freezing point		No data available	
Boiling point		not applicable	
Flash point		not applicable	
Evaporation rate		No data available	
flammability		No data available	
Lower explosion limit		1 % Vol.	
Upper explosion limit		7,5 % Vol.	
Vapour pressure		No data available	
Vapour density		No data available	
Relative density		No data available	
Density		1,04 g/m <sup>3</sup>	
Solubility (Water)		No data available	
Solubility (Ethanol)		No data available	
Solubility (Acetone)		No data available	

## Duthoo Touch-Up Spray 2C

Solubility (Organic solvents)	No data available
Log KOC	No data available
Auto-ignition temperature	355 °C
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available

### Particle characteristics

Particle size	No data available
Dustiness	No data available
Specific surface area	No data available
Shape	No data available

### 9.2 - Other information

VOC content	81,4 %
Minimum ignition energy	No data available
Conductivity	No data available

## SECTION 10: Stability and reactivity

### 10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

### 10.2 - Chemical stability

- The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 - Possibility of hazardous reactions

- No hazardous reaction when handled and stored according to provisions.

### 10.4 - Conditions to avoid

- In case of warming: Ignition hazard
- Do not expose to temperatures exceeding 50 °C/122 °F.
- In case of warming: Danger of bursting container.
- In case of warming: Ignition hazard
- protect against sunlight and frost

### 10.5 - Incompatible materials

- avoid contact with other chemicals

### 10.6 - Hazardous decomposition products

- Carbon dioxide
- Carbon monoxide
- Nitrogen oxides (NOx)

## SECTION 11: Toxicological information

### 11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Acute toxicity (inhalative) - Category 4 - Harmful if inhaled

## Duthoo Touch-Up Spray 2C

### Toxicity : Mixture

LD50 oral (rat)	No data available
LD50 dermal (rat)	No data available
LD50 dermal (rabbit)	No data available
LC50 inhalation (rat)	No data available
LC50 inhalation dusts and mists (rat)	No data available
LC50 inhalation vapours (rat)	No data available

- Based on available data, the classification criteria are not met.

### Toxicity : Substances

<b>ethylbenzene (100-41-4)</b>	
LD50 oral (rat)	3500 mg/kg
LD50 dermal (rabbit)	5000 mg/kg
<b>xylene (1330-20-7)</b>	
LD50 oral (rat)	3523 mg/kg
LD50 dermal (rabbit)	2000 mg/kg
<b>n-butyl acetate (123-86-4)</b>	
LD50 oral (rat)	10768 mg/kg
LD50 dermal (rat)	> 17600 mg/kg
LC50 inhalation vapours (rat)	21,1 mg/l
<b>acetone, propan-2-one, propanone (67-64-1)</b>	
LD50 oral (rat)	5800 mg/kg
LD50 dermal (rabbit)	> 15800 mg/kg
LC50 inhalation dusts and mists (rat)	76 mg/l

### Skin corrosion/irritation

- Not classified

### Serious eye damage/eye irritation

- Eye irritation - Category 2 - Causes serious eye irritation

- Irritating to eyes.

### Respiratory or skin sensitisation

- Skin sensitization - Category 1 - May cause an allergic skin reaction

- May cause sensitization by skin contact.

- May cause an allergic skin reaction.

### Germ cell mutagenicity

- Not classified

### Carcinogenicity

- Not classified

### Reproductive toxicity

- Not classified

### STOT-single exposure

- STOT-single exposure - Category 3 (H336) - May cause drowsiness or dizziness

### STOT-repeated exposure

- Not classified

### Aspiration hazard

- Not classified

### 11.2 - Information on other hazards



## Duthoo Touch-Up Spray 2C

### SECTION 12: Ecological information

#### 12.1 - Toxicity

##### Toxicity : Mixture

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	No data available
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

##### Toxicity : Substances

xylene (1330-20-7)	
LC50 96 hr fish	13,5 mg/l
n-butyl acetate (123-86-4)	
LC50 96 hr fish	100 mg/l
acetone, propan-2-one, propanone (67-64-1)	
LC50 96 hr fish	8300 mg/l
ErC50 algae	7200 mg/l

- Harmful to aquatic life with long lasting effects.

#### 12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- No information available.

#### 12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	No data available

- No indication of bioaccumulation potential.

#### 12.4 - Mobility in soil

- No information available.

#### 12.5 - Results of PBT and vPvB assessment

#### 12.6 - Endocrine disrupting properties

#### 12.7 - Other adverse effects

- No information available.

### SECTION 13: Disposal considerations

#### 13.1 - Waste treatment methods

## Duthoo Touch-Up Spray 2C

<u>Waste treatment methods</u>	- Dispose of waste according to applicable legislation.
<u>Sewage disposal</u>	- Do not allow to enter into surface water or drains.
<u>Special precautions for waste treatment</u>	- Collect the waste separately.
<u>Community or national or regional provisions</u>	- No information available.

### SECTION 14: Transport information

#### 14.1 - UN number or ID number

<u>UN number (ADR)</u>	:	UN1950
<u>UN number (RID)</u>	:	UN1950
<u>UN number (ADN)</u>	:	UN1950
<u>UN number (IMDG)</u>	:	UN1950
<u>UN number (IATA)</u>	:	UN1950

#### 14.2 - UN proper shipping name

<u>UN proper shipping name (ADR)</u>	:	AEROSOLS
<u>UN proper shipping name (RID)</u>	:	AEROSOLS
<u>UN proper shipping name (ADN)</u>	:	AEROSOLS
<u>UN proper shipping name (IMDG)</u>	:	AEROSOLS
<u>UN proper shipping name (IATA)</u>	:	AEROSOLS, FLAMMABLE

#### 14.3 - Transport hazard class(es)

<u>ADR Transport hazard class(es)</u>	:	2
<u>ADR Classification code:</u>	:	5F
<u>Pictograms</u>		



<u>Transport hazard class(es) (RID)</u>	:	2
<u>Pictograms</u>		



<u>Transport hazard class(es) (ADN)</u>	:	2
---	---	---

## Duthoo Touch-Up Spray 2C

### Pictograms



Transport hazard class(es) (IMDG) : 2

### Pictograms



Transport hazard class(es) (IATA) : 2

### Pictograms



### 14.4 - Packing group

Packing group :  
Packing group (RID) :  
Packing group (ADN) :  
Packing group (IMDG) :  
Packing group (IATA) :

### 14.5 - Environmental hazards

Environmental hazards : No  
Marine pollutant : No

### 14.6 - Special precautions for user

## Duthoo Touch-Up Spray 2C

### **ADR**

<u>ADR Classification code:</u>	:	5F
<u>ADR Special provisions</u>	:	190+327+344+625
<u>ADR Limited quantity (LQ)</u>	:	1L
<u>ADR Excepted quantities</u>	:	E0
<u>ADR Packing instructions</u>	:	P207 LP200
<u>ADR Special packing provisions</u>	:	PP87 RR6 L2
<u>ADR Mixed packing provisions</u>	:	MP9
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>ADR tank code</u>	:	
<u>ADR tanks special provisions</u>	:	
<u>Vehicle for tank carriage</u>	:	
<u>ADR Transport category</u>	:	2
<u>ADR Tunnel restriction code</u>	:	D
<u>ADR Special provisions loading, unloading and handling</u>	:	CV9 CV12
<u>Special provisions - Packages</u>	:	V14
<u>Special provisions - Bulk</u>	:	
<u>Special provisions - Operation</u>	:	S2
<u>ADR Hazard identification number (Kemler No.)</u>	:	

### **RID**

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	

### **ADN**

<u>Special provisions</u>	:	
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	

### **IMDG**

<u>Special provisions</u>	:	63 190 277 327 344 381 959
<u>Limited quantity (LQ)</u>	:	
<u>Excepted quantities</u>	:	E0
<u>Packing instructions</u>	:	P207 LP200
<u>Special packing provisions</u>	:	PP87 L2
<u>IBC instruction(s)</u>	:	
<u>IBC provisions</u>	:	
<u>Instructions for portable tanks and bulk containers</u>	:	
<u>Special provisions for portable tanks and bulk containers</u>	:	
<u>EmS codes</u>	:	F-D, S-U
<u>Stowage and handling</u>	:	Category None SW1 SW22
<u>Segregation</u>	:	SG69
<u>Properties and observations</u>	:	

## Duthoo Touch-Up Spray 2C

### IATA

PCA - Excepted quantities	:	E0
PCA - Limited Quantity - Packing Instructions	:	Y203
PCA - Limited Quantity - Maximum Net Quantity per Package	:	30kg
PCA - Packing Instructions	:	203
PCA - Maximum Net Quantity per Package	:	75kg
CAO - Packing Instructions	:	203
CAO - Maximum Net Quantity per Package	:	150kg
Special Provisions	:	A145 A167 A802
ERG Code	:	10L

14.7 - Maritime transport in bulk according to IMO instruments

### SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH candidates None

Substances Annex XIV None

Substances Annex XVII None

VOC content 81,4 %

15.2 - Chemical Safety Assessment

Chemical safety assessment carried out for the product - No information available.

### SECTION 16: Other information

#### SDS versions

Version	Issue date	Author	Description of the amendments
1,01	29/01/2024	Lieven Vandeputte	
1	16/03/2022		

#### Texts of the regulatory sentences

Acute Tox. 4 Dermal	Acute toxicity (dermal) - Category 4
Acute Tox. 4 Inhalation	Acute toxicity (inhalative) - Category 4
Acute Tox. 4 Oral	Acute toxicity (oral) - Category 4
Aerosol 1	Aerosol - Category 1
Aquatic Acute 1	Hazardous to the aquatic environment - Aquatic Acute 1
Aquatic Chronic 1	Hazardous to the aquatic environment - Aquatic Chronic 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
Asp. Tox. 1	Aspiration hazard - Category 1
Eye Irrit. 2	Eye irritation - Category 2
Eye Irrit. 2A	Eye irritation - Category 2A
Flam. Gas 1	Flammable gas. - Category 1
Flam. Liq. 2	Flammable liquid and vapour. - Category 2

## Duthoo Touch-Up Spray 2C

Flam. Liq. 3	Flammable liquid and vapour. - Category 3
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
Press. Gas	Gases under pressure
Press. Gas (Liq.)	Liquefied gas
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Irritation, Category 2
Skin Sens. 1	Skin sensitization - Category 1
STOT RE 2	STOT-repeated exposure - Category 2
STOT SE 3 (H335)	STOT-single exposure - Category 3 (H335)
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)

\*\*\* \*\*