

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 - Product identifier

Trade name/designation	DUTHOO RENO ALU
Chemical name	CLEANING EMULSION
Product-type	Mixture
Product code	RENO ALU
UFI:	R940-F01X-G00P-WSG0

1.2 - Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

- For professional use only
- Washing and cleaning products

Uses advised against

- Reserved for industrial and professional use.

1.3 - Details of the supplier of the safety data sheet
-Duthoo Coating Concepts
Pluim 1
8550 Zwevegem Belgium
Telephone : 0032 56 360774 Fax 0032 56 694760
Website www.duthoo.eu
Eddy Crepeele: 0032 56 360774/0032 471 410802 eddy@duthoo.eu

1.4 - Emergency telephone number

- Poison Centre. Tel: (+32) 070 245 245 or (+32) 02 264 96 30 Belgium

SECTION 2: Hazards identification

2.1 - Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3 Hazardous to the aquatic environment - Aquatic Chronic 3

2.2 - Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word	:	None
Pictograms	:	None
Hazard statements	:	None
Precautionary statements		

Avoid release to the environment.	
Dispose of contents/container to an appropriate recycling or disposal facility in accordance with national regulation.	
Contains TETRAMETHYLOLACETYLEENDIUREA. May produce an allergic reaction	
- No information available.	
- No information available.	



SECTION 3: Composition / information on ingredients

3.1 - Substances

Not applicable

3.2 - Mixtures

Chemical name	No	%	Class(es)	Specific concentration limit
HYDROCARBONS C9-C11	CAS No. : Index No. : EC No. :	<= 20	Asp. Tox. 1 - H304 Flam. Liq. 3 - H226 STOT SE 3 (H335) - H335	Not applicable
propan-2-ol, isopropyl alcohol, isopropanol	CAS No. : 67-63-0 Index No. : 603-117-00-0 EC No. : 200-661-7	<= 10	Eye Irrit. 2 - H319 Flam. Liq. 2 - H225 STOT SE 3 (H336) - H336	Not applicable
Kerosine (petroleum), hydrodesulfurized, Kerosine - unspecified, [A complex combination of hydrocarbons obtained from a petroleum stock by treating with hydrogen to convert organic sulfur to hydrogen sulfide which is removed. It consists of hydrocarbons having carbon numbers predominantly in the range of C9 through C16 and boiling in the range of approximately 150 °C to 290 °C (302 °F to 554 °F).]	CAS No. : 64742-81-0 Index No. : 649-423-00-8 EC No. : 265-184-9	<= 3	Asp. Tox. 1 - H304	Not applicable
tetrahydro-1,3,4,6-tetrakis(hyd roxymethyl)imidazo[4,5-d]imid azole-2,5(1H,3H)-dione		<= 0,2	Skin Sens. 1 - H317	Not applicable

SECTION 4: First aid measures

4.1 - Description of first aid measures

Following inhalation	 Remove casualty to fresh air and keep warm and at rest. Seek medical advice immediately. 	
Following skin contact	 After contact with skin, wash immediately with plenty of water and soap. Call a physician in any case! Remove contaminated, saturated clothing immediately. 	
<u>After eye contact</u>	 In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of eye irritation consult an ophthalmologist. 	
After ingestion	 Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. 	
4.2 - Most important symptoms and effects, both acute and delayed		
Symptoms and effects - Following inhalation	- No information available.	



Symptoms and effects - After eye contact	- Causes eye irritation.		
4.3 - Indication of any immediate medical attention and special treatment needed			
SECTION 5: Firefighting measures			
5.1 - Extinguishing media			
Suitable extinguishing media	- Carbon dioxide (CO2) - Extinguishing powder - Foam - Water mist		
Unsuitable extinguishing media	- Full water jet		
5.2 - Special hazards arising from the substa	nce or mixture		
Special hazards arising from the substance or mixture	- No information available.		
Hazardous decomposition products	- No information available.		
5.3 - Advice for firefighters			
SECTION 6: Accidental release measure	res		
6.1 - Personal precautions, protective equipm	nent and emergency procedures		
For non-emergency personnel	- Provide adequate ventilation. - Remove persons to safety. - Use personal protection equipment.		
For emergency responders	- Wear breathing apparatus if exposed to vapours/dusts/aerosols.		
6.2 - Environmental precautions			
- Do not allow to enter into surface water or drains			
6.3 - Methods and material for containment a	nd cleaning up		
Methods and material for containment	 Soak up inert absorbent and dispose as waste requiring special attention. 		
Methods and material for cleaning up	 Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation. 		
Inappropriate techniques	- No information available.		
6.4 - Reference to other sections			
 Disposal: see section 13 Personal protection equipment: see section 8 Safe handling: see section 7 			
SECTION 7: Handling and storage			



7.1 - Precautions for safe handling

Recommendation

Advices on general occupational hygiene

- Avoid exposure obtain special instructions before use.
- Avoid contact with skin, eyes and clothes.
- Wash hands before breaks and after work.
- When using do not eat, drink, smoke, sniff.

7.2 - Conditions for safe storage, including any incompatibilities

- Keep container tightly closed and in a well-ventilated place.
- Only use containers specifically approved for the substance/product.
- 7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- 8.2 Exposure controls

Appropriate engineering controls

- If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Individual protection measures, such as personal - Eye protection protective equipment

- Protective gloves

apron



Environmental exposure controls

- Further information: see technical data sheet.

- Suitable protective clothing: Protective

SECTION 9: Physical and chemical properties

9.1 - Information on basic physical and chemical properties

Physical state Colour	Liquid White	Appearance Odour	Liquid characteristic
Odour threshold		No data available	
рН		7	
Melting point		0 °C	
Freezing point		No data available	
Boiling point		78 °C < V < 250 °C	
Flash point		38 °C	
Evaporation rate		No data available	



flammability	No data available
Lower explosion limit	0,7 % Vol.
Upper explosion limit	12 % Vol.
Vapour pressure	4300 Pa
Vapour density	No data available
Relative density	No data available
Density	1,005 kg/l
Solubility (Water)	No data available
Solubility (Ethanol)	No data available
Solubility (Acetone)	No data available
Solubility (Organic solvents)	No data available
Log KOC	0,05
Auto-ignition temperature	260 °C
Decomposition temperature	No data available
Kinematic viscosity	945 mm²/s 40°C
Dynamic viscosity	950 mPa.s 20°C

Particle characteristics

Particle size	No data available
---------------	-------------------

9.2 - Other information

VOC content	26,02 %
Minimum ignition energy	No data available
Conductivity	No data available

SECTION 10: Stability and reactivity

10.1 - Reactivity

- This material is considered to be non-reactive under normal use conditions.

- 10.2 Chemical stability
- extreme temperatures
- 10.3 Possibility of hazardous reactions
- No hazardous reaction when handled and stored according to provisions.

10.4 - Conditions to avoid

- Do not expose to temperatures exceeding 50 °C/122 °F.
- 10.5 Incompatible materials
- avoid contact with other chemicals
- Oxidising agent
- 10.6 Hazardous decomposition products
- Does not decompose when used for intended uses.



SECTION 11: Toxicological information

11.1 - Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	- Not classified		
Toxicity : Mixture			
	LD50 oral (rat)	<= 5000 mg/kg	
	LD50 dermal (rat)	No data available	
	LD50 dermal (rabbit)	<= 5000 mg/kg	
	LC50 inhalation (rat)	No data available	
	LC50 inhalation dusts and mists (rat)	No data available	
	LC50 inhalation vapours (rat)	<= 50 mg/l	
	- Based on available data, the classification criteri	a are not met.	
Skin corrosion/irritation	- Not classified		
	- The substance is classified as not hazardous ac 1272/2008 [CLP].	cording to regulation (EC) No	
Serious eye damage/eye irritation	- Not classified		
	- The substance is classified as not hazardous ac 1272/2008 [CLP].	cording to regulation (EC) No	
Respiratory or skin sensitisation	- Not classified		
	- The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].		
Germ cell mutagenicity	- Not classified		
	- The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].		
Carcinogenicity	- Not classified		
	- The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].		
Reproductive toxicity	- Not classified		
	- The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].		
STOT-single exposure	- Not classified		
	- The mixture is classified as not hazardous accor 1272/2008 [CLP].	ding to regulation (EC) No	
STOT-repeated exposure	- Not classified		
	- The mixture is classified as not hazardous accor 1272/2008 [CLP].	ding to regulation (EC) No	
Aspiration hazard	- Not classified		
11.2 - Information on other	hazards		



SECTION 12: Ecological information

12.1 - Toxicity

Toxicity	:	Mix	ture
----------	---	-----	------

EC50 48 hr crustacea	No data available
LC50 96 hr fish	No data available
ErC50 algae	No data available
ErC50 other aquatic plants	No data available
NOEC chronic fish	10000 mg/l ISOPROPYLIC ALCOHOL
NOEC chronic crustacea	No data available
NOEC chronic algae	No data available
NOEC chronic other aquatic plants	No data available

12.2 - Persistence and degradability

Biochemical oxygen demand (BOD)	No data available
Chemical oxygen demand (COD)	No data available
% of biodegradation in 28 days	No data available

- The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3 - Bioaccumulative potential

Bioconcentration factor (BCF)	No data available
Log KOC	0,05

12.4 - Mobility in soil

12.5 - Results of PBT and vPvB assessment

- No information available.

- No information available.
- 12.6 Endocrine disrupting properties
- No further relevant information available.

12.7 - Other adverse effects

- No information available.

SECTION 13: Disposal considerations

13.1 - Waste treatment methods	
Waste treatment methods	- Dispose of waste according to applicable legislation.
Sewage disposal	- No information available.
Special precautions for waste treatment	 Collect the waste separately. Consult the appropriate local waste disposal expert about waste disposal.
Community or national or regional provisions	- No information available.



SECTION 14: Transport information

14.1 - UN number or ID number Not applicable

14.2 - UN proper shipping name Not applicable

14.3 - Transport hazard class(es) Not applicable

14.4 - Packing group Not applicable

14.5 - Environmental hazards Not applicable

14.6 - Special precautions for user Not applicable

14.7 - Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1 - Safety, health and environmental regulations/legislation specific for the substance or mixture

Substances REACH	None
candidates	
Substances Annex XIV	None
Substances Annex XVII	None
VOC content	26,02 %

15.2 - Chemical Safety Assessment

<u>Chemical safety assessment carried</u> - No information available. out for the product

SECTION 16: Other information

SDS versions

Version	Issue date	Author	Description of the amendments
1	7/03/2023		

Texts of the regulatory sentences

Aquatic Chronic 3	Hazardous to the aquatic environment - Aquatic Chronic 3
Asp. Tox. 1	Aspiration hazard - Category 1
Eye Irrit. 2	Eye irritation - Category 2
Eye Irrit. 2A	Eye irritation - Category 2A
Flam. Liq. 2	Flammable liquid and vapour Category 2
Flam. Liq. 3	Flammable liquid and vapour Category 3
H225	Highly flammable liquid and vapour



H304	May be fatal if swallowed and enters airways
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
Skin Sens. 1	Skin sensitization - Category 1
STOT SE 3 (H335)	STOT-single exposure - Category 3 (H335)
STOT SE 3 (H336)	STOT-single exposure - Category 3 (H336)

*** *** ***